

PLYMOVENT

clean air at work

April 15, 2009

U.S. Department of Homeland Security, Federal Emergency Management Agency 2009 Assistance to Firefighters Grant (AFG) Program

The Grant Program has classified **Vehicle Exhaust Evacuation Systems** as *Modifications to Fire Stations and Facilities* under **Fire Operations and Firefighter Safety** in the 2009 AFG Program Guidance.

The Federal government has recognized the severe short and long term health effects of vehicle exhaust emissions and the associated risks to the health and safety of your fire service members. **For this reason Exhaust Evacuation Systems have been assigned the highest priority under “Modifications to Fire Stations and Facilities”.**

To secure your opportunity to receive Grant monies, the following criteria will apply:

1. You will be required to complete the Grant form via Internet. Application period opens today April 15, 2009. For more information go to www.firegrantsupport.com/afg/.
2. You will be required to submit a narrative describing your need for a VEHICLE EXHAUST EVACUATION SYSTEM. We can provide you with a budgetary quote and product information to be more informed about the products for the specific needs of your Department. Please email your request to Info@plymovent.com.
3. Peer Review Teams will be evaluating the submitted grants based on a value for money basis. To assure your estimate is accurate and competitive; we suggest that you complete the attached **PLYMOVENT FIRE STATION SELF-SURVEY**. If you are surveying more than one station, please submit one self-survey and drawing per station. Completed documents should be faxed to **609.655.0569** or emailed to Info@plymovent.com **no later than May 13, 2009** so we can process your request and still allow you time to submit your grant application.

Your immediate response is vital to the chances of your Department's success in securing the Grant you need and deserve. Our experience with FEMA proves that a favorable “Need Review” is in direct proportion to the accuracy and articulation of the need that you generate.

Remember, **the Grant application opportunity window is ONLY 36 DAYS LONG from April 15, 2009 - May 20, 2009 at 5 PM EST.** Your immediate attention to this correspondence will be greatly appreciated by the members of your Department.

**Contact your local dealer for more information or contact
Plymovent 1-800-644-0911 to locate a dealer in your area**

To be removed from future mailings please call 800-915-2571, ext 20740 or fax to 609-655-0569

PLYM⁺VENT

clean air at work

PHONE () - / FAX () -

SURVEYOR NAME :				DATE:				FEMA GRANT ID #			
PHONE # :				FAX # :				EMAIL:			
DEPT. NAME: CHIEF: ADDRESS: CITY: STATE: ZIP: PHONE: FAX: EMAIL: Note:						STATION # : ADDRESS: CITY: STATE: ZIP: PHONE: E-MAIL: # OF BAYS IN STATION : # OF APPARATUS IN STATION: Note:					
Type of Apparatus in bays: (Rescue/Engine/etc.)						BAY 1:		BAY 2 :			
BAY 3:		BAY 4:		BAY 5:		BAY 6 :					
BAY 7:		BAY 8:		BAY 9:		BAY 10:					
Width of aisles between apparatus :		1-2	2-3	3-4	4-5	5-6	7-8	8-9	9 -10	10 -11	11-12
Width of aisle between left wall and apparatus :			Width of aisle between right wall and apparatus :				Width of aisle between Back wall and apparatus :				
Building construction: Roof			Building construction: Walls				Building construction: Ceiling				
Door Type:	Panel	Roll-Up	Width of doors:				Height of doors:				
Building - Length:			Building - Width:				Building - Height:				
Building Power:	120v/60/1	240v/60/1	208v/60/3	240v/60/3	480v/60/3	600v/60/3	Panel-Mfg				
Drive thru bays :Y/N		Length:			Back-in bay : Y/N			Length:			
Tailpipe Distance from Exit door:			V1-	V2-	V3-	V4-	V5-	V6-	V7-		
V8-		V9-	V10-	V11-	V12-	V13-	V14-	V15-	V16-	V17-	

