## PLYM IVENT®

clean air at work

### **PLASMA CUTTING WORK GRID**

# PLASMA CUTTING WORK GRID FOR DOWNDRAFT TABLE

Specially constructed work grid, which is compulsory for plasma cutting applications (current max. 50 A). The plasma cutting work grid consists of two frames with 13 bars each and two additional spark arresters to be mounted over the existing ones in the downdraft table.

The additional spark arresters protect the existing spark arresters against melting steel from the plasma cutting process.

The bars can be replaced individually.



#### **APPLICATIONS**

The plasma cutting work grid is intended to be used for the following applications:

- plasma cutting (current max. 50 A)
- MIG-MAG/GMAW welding
- TIG welding
- FCAW welding
- stick/MMAW welding

Do **not** use the plasma cutting work grid for the following applications or in the following circumstances:

• plasma cutting; current >50 A

Physical dimensions and properties




#### **SPECIFICATIONS**


,	· · · · · · · · · · · · · · · · · · ·
Material:     frames     bars     spark arresters	<ul><li>zinc plated steel</li><li>untreated steel</li><li>perforated steel</li></ul>
Colour	natural
Weight (net)	48 kg (105.8 lbs)
■ Product combinations	
DraftMax Eco	downdraft table to be connected to external extraction and filtration facility
DraftMax Basic	downdraft table with disposable filter
DraftMax Advance	downdraft table with manual self-cleaning filter
DraftMax Ultra	downdraft table with automatic self-cleaning filter
■ Scope of supply	
Frame (2) - Bar (2x13 in plastic bag) - Spark arresters (2)	
■ Order information	
Article number	0040400020
Number/package	1 (two-piece)
■ Shipping data	
Gross weight	50 kg (110.2 lbs)
Packing dimensions	835 x 715 x 200 mm (32.9 x 28.2 x 7.9 in.)
Harmonized Tariff Code	8421.39.2090

the Netherlands

#### **DIMENSIONS**



Plasma cutting work grid (top and side view)



Bar

Product type

Plasma cutting work grid

Article no. 0040400020

Product category options and accessories

Version 020312/C

Always check the latest version on www.plymovent.com.

Page 1/1

Country of origin